

[Home](#) [Index](#) [Resources](#) [Contacts](#) [Internet](#) [Search](#)
[Patent Intranet](#) > [SIRA](#) > [STIC](#) > [NPL Multi-Search](#)



PATENTS INTRANET



Scientific and Technical Information Center

[Centralized Services](#) [Digital Resources](#) [Electronic Information Center](#) [Search & Automation Support](#)

[Home](#) [About Us](#) [Feedback](#) [Staff List](#) [FAQs](#)

Search [Go](#)

[Refine Search](#) | [New Search](#)

[Help](#)

Topics	Date	Journals	Authors
--------	------	----------	---------

☒ Clustered Results

All Topics

* [Industry](#) (5)

* [Other](#) (32)

Sort By:

Date

Title

Author

Source

Filter By: ☐ Full Text

Results 1-25 of 50 returned for
 "title contains (error or
 problem or fault or trap) and
 (correct or resolve or
 solution) and (router or
 gateway or switch or
 equipment or premise)" (52
 total)

1 - 2

Results By Source

- * [Computer Source: Consumer Edition](#) (0)
- * [Computers & Applied Sciences Complete](#) (0)
- * [Dialog Dastar Ei Compendex](#) (4)
- * [IEEE Electronic Library Online](#) (22)
- * [Information Science & Technology Abstracts](#) (0)
- * [Internet and Personal Computing Abstracts](#) (0)
- * [ProQuest Central](#) (13)
- * [ProQuest Dissertations and Theses](#) (13)

☐ Select all records :: 0 selected
 records: Email ▼ or Export/Save ▼

- ☐ 1. [Engineer finds solution to business problem Downtown-based Datotel provides technical services, equipment for nontech firms.](#)
Christopher Boyce.
St. Louis Post - Dispatch; St. Louis, Mo. (1930-9600)
Jun 12, 2009. p.B.5
Source: [ProQuest Dissertations and Theses](#)
[Show Abstract](#) | [Show In Clusters](#) | [1 Duplicate Records](#)
- ☐ 2. [Efficient suboptimal solutions of switched LQR problems](#)
Wei Zhang; Abate, A.; Jianghai Hu;
American Control Conference, 2009. ACC '09. (0743-1619)
10-12 June 2009. p.1084
Source: [IEEE Electronic Library Online](#)
[Show Abstract](#) | [Show In Clusters](#)
- ☐ 3. [A solution to the tracking control problem for switched linear systems with time-varying delays](#)
Qing-Kui Li; Dimirovski, G.M.; Jun Zhao;
Decision and Control, 2008. CDC 2008. 47th IEEE Conference on (0191-2216)
9-11 Dec. 2008. p.5348
Source: [IEEE Electronic Library Online](#)
[Show Abstract](#) | [Show In Clusters](#)

- ☐ [4. General Solution of Stability Problem for Plane Linear Switched Systems and Differential Inclusions](#)
Zevin, A.A.; Pinsky, M.A.;
Automatic Control, IEEE Transactions on (0018-9286)
Oct. 2008. Vol.53,Iss.9;p.2149
Source: [IEEE Electronic Library Online](#)
[Show Abstract](#) | [Show In Clusters](#)
[STIC Full Text Retrieval Options](#)
- ☐ [5. Wisconsin Inventors Develop Medical Diagnostic Equipment Problem-solution Resource System](#)
US Fed News Service, Including US State News; Washington, D.C.
Jun 6, 2007. p.n/a
Source: [ProQuest Dissertations and Theses](#)
[Show In Clusters](#) | [1 Duplicate Records](#)
- ☐ [6. Is pseudoephedrine switch a solution to the problem?](#)
Chemist & Druggist; London (0009-3033)
Apr 21, 2007. p.14
Source: [ProQuest Dissertations and Theses](#)
[Show Abstract](#) | [Show In Clusters](#) | [1 Duplicate Records](#)

- ☐ [7. End sought to overcharges:
The oil industry has asserted
that motorists would pay higher
fuel prices if retailers had to
install equipment to correct the
problem.](#)

Steve Everly.

**Knight Ridder Tribune
Business News; Washington**

Dec 15, 2006. p.1

Source: [ProQuest Dissertations
and Theses](#)

[Show Abstract](#) | [Show In](#)

[Clusters](#) | [1 Duplicate Records](#)

- ☐ [8. Declude Interceptor First
Unified Gateway Solution to
Combat Growing Problem of
Email Vulnerabilities; Declude
Combines Vulnerability
Detection with Next Generation
Spam and Virus Scanners in a
Total Defense System That
Emphasizes Simplicity and
Affordability](#)

Business Wire; New York

Sep 11, 2006. p.1

Source: [ProQuest Dissertations
and Theses](#)

[Show Abstract](#) | [Show In](#)

[Clusters](#) | [1 Duplicate Records](#)

☐ [9.Precise Solution of Stability Problem for Linear Plane Switched Systems](#)

Zevin, A.A.; Pinsky, M.A.;
Decision and Control, 2005 and 2005 European Control Conference. CDC-ECC '05. 44th IEEE Conference on (0-7803-9567-0)

12-15 Dec. 2005. p.3988

Source: [IEEE Electronic Library Online](#)

[Show Abstract](#) | [Show In Clusters](#)

☐ [10.SOYO Launches Easy Solution to Critical e911 Problem; Allows Users to Instantly Switch Between Existing Phone Line & VoIP Business Wire; New York](#)

Oct 4, 2005. p.1

Source: [ProQuest Dissertations and Theses](#)

[Show Abstract](#) | [Show In Clusters](#) | [1 Duplicate Records](#)

☐ [11.NEW SUNPASS EQUIPMENT TO RESOLVE STICKY PROBLEM: \[FINAL Edition\]](#)

CHUCK McGINNESS Palm Beach Post Staff Writer.
Palm Beach Post; West Palm Beach, Fla. (1528-5758)

Oct 20, 2004. p.1C

Source: [ProQuest Dissertations and Theses](#)

[Show Abstract](#) | [Show In Clusters](#) | [1 Duplicate Records](#)

- ☐ [12.Reducing downtime with SMED: using the SMED or Quick Change-Over technique, many of the ideas that you come up with will help to increase the product of the maintenance department - equipment availability, as well as a solution for another problem facing maintenance groups - the diminishing skilled and experienced workforce](#)
Williams, Cliff.

Machinery & Equipment; Don Mills (0831-8603)

Sep 2004. Vol.20,Iss.4;p.40

Source: [ProQuest Dissertations and Theses](#)

[Show Abstract](#) | [Show In](#)

[Clusters](#) | [1 Duplicate Records](#)

[STIC Full Text Retrieval](#)

[Options](#)

- ☐ [13.Impact of ECCs on simultaneously switching output noise for on-chip busses of high reliability systems \[error correcting codes\]](#)

Rossi, D.; Muccio, A.;

Nieuwland, A.K.; Katoch, A.;

Metra, C.,

On-Line Testing Symposium, 2004. IOLTS 2004.

Proceedings. 10th IEEE International (0-7695-2180-0)

12-14 July 2004. p.135

Source: [IEEE Electronic Library Online](#)

[Show Abstract](#) | [Show In](#)

[Clusters](#)

- ☐ [14. Bayesian optimization algorithm for multi-objective solutions: application to electric equipment configuration problems in a power plant](#)
 Katsumata, Y.; Terano, T.;
Evolutionary Computation, 2003. CEC '03. The 2003 Congress on (0-7803-7804-0)
 8-12 Dec. 2003. Vol.2;p.1101
 Source: [IEEE Electronic Library Online](#)
[Show Abstract](#) | [Show In Clusters](#)

- ☐ [15. EdenTree Technologies Launches First Infrastructure Automation Solution for Equipment Networks and Labs: Start-up Solves Huge Productivity Problem](#)
 Business Editors/High-Tech Writers.
Business Wire; New York
 Aug 20, 2003. p.1
 Source: [ProQuest Dissertations and Theses](#)
[Show Abstract](#) | [Show In Clusters](#) | [1 Duplicate Records](#)

- ☐ [16. Alternative solutions for corrosion problems in cement plant pollution control equipment](#)
 Jansen, A.; Mazeika, L.;
Cement Industry Technical Conference, 2003. Conference Record. IEEE-IAS/PCA 2003 (1079-9931)
 4-9 May 2003. p.249
 Source: [IEEE Electronic Library Online](#)

[Show Abstract](#) | [Show In Clusters](#)

- ☐ 17. [Optimal after-service strategy of the infrastructure equipment \(3rd report\) - Formulation and solution to the elevator maintenance routing problem.](#)

Yamashina.Hajime; Otani. Shunsuke; Ooka.Hiroyuki.

**Seimitsu Kogaku Kaishi/
Journal of the Japan Society
for Precision Engineering**

2002. Vol.68;p.788-794

Source: [Dialog Datastar Ei
Compendex](#)

[Show In Clusters](#)

- ☐ 18. [Possible problems and their solutions with IPv6 router announcement](#)

Segaric, K.; Knezevic, P.; Dembitz, S.;

**EUROCON'2001, Trends in
Communications,
International Conference on.
(0-7803-6490-2)**

4-7 July 2001. Vol.1;p.77

Source: [IEEE Electronic Library
Online](#)

[Show Abstract](#) | [Show In Clusters](#)

- ☐ 19. [Analysis and solutions of the interaction problems between transformer primary snubbers and saturable reactors in a magamp switching power supply](#)

Jamerson, C.; Xiaodong Zhan; Chen, D.;

Power Electronics Specialists Conference, 2001. PESC. 2001 IEEE 32nd Annual (0-7803-7067-8)

17-21 June 2001. Vol.1;p.285

Source: [IEEE Electronic Library Online](#)

[Show Abstract](#) | [Show In Clusters](#)

- ☐ 20. [Some strategies for developing the electrical equipment for distribution and supply of electric energy in romania - problems and solutions](#)

Maziu, Gh.; Coculescu, S.; Mazilu, A.;

Electricity Distribution, 2001. Part 1: Contributions. CIRED. 16th International Conference and Exhibition on (IEE Conf. Publ No. 482) (0537-9989)

2001. Vol. Summaries;p.312

Source: [IEEE Electronic Library Online](#)

[Show In Clusters](#)

- ☐ 21. [Method for solution of the conjugate heat exchange problem in radioelectronic equipment.](#)

El.kin.B.S; Koshchy.A.F;
Belous.E.P.

Engineering Simulation

2000. Vol.17;p.325-334

Source: [Dialog Datastar Ei Compendex](#)

[Show In Clusters](#)

- ☐ 22. [Scalability issues in multicast ATM switching architectures. Problems and solutions](#)

Malgosa-Sanahuja, J.; Garcia-Haro, J.; Jaulin-Frances, A.;

Communications, Computers and Signal Processing, 1999 IEEE Pacific Rim Conference on (0-7803-5582-2)

22-24 Aug. 1999. p.5

Source: [IEEE Electronic Library Online](#)

[Show Abstract](#) | [Show In Clusters](#)

- ☐ 23. [A description of circuit design problems and solutions typical of military, space, and commercial switching power supplies](#)

Brockschmidt, A.;

Applied Power Electronics Conference and Exposition, 1995. APEC '95. Conference Proceedings 1995., Tenth Annual (0-7803-2482-X)

5-9 March 1995. Iss.0;p.83

Source: [IEEE Electronic Library Online](#)

[Show Abstract](#) | [Show In Clusters](#)

- ☐ 24. [A description of circuit design problems and solutions typical of military, space and commercial switching power supplies](#)

Brockschmidt, A.;

Power Electronics and Drive Systems, 1995., Proceedings of 1995 International Conference on (0-7803-2423-4)

21-24 Feb. 1995. p.417

Source: [IEEE Electronic Library Online](#)

[Show Abstract](#) | [Show In Clusters](#)

- ☐ 25. [Efficient error correcting technique for digital equipment](#)
- Barsi, F.; Pinotti, M.C.;
- Electronics Letters (0013-5194)**

2 Feb. 1995. Vol.31,Iss.3;p.158

Source: [IEEE Electronic Library Online](#)

[Show Abstract](#) | [Show In Clusters](#)

[STIC Full Text Retrieval Options](#)

**Missing check box indicates resource temporarily unavailable.*

Please obey [MPEP Section 904.02 \(c\) - Internet Searching \[R3\]](#) and USPTO "Rules of the Road ([PDF Doc](#))" when using Internet resources.

If you cannot access a file because of a missing or non-working plugin, please contact the Help Desk at 2-9000 for installation assistance.

[Intranet Home](#) | [Index](#) | [Resources](#) | [Contacts](#) | [Internet](#) | [Search](#) | [Firewall](#) | [Web Services](#)

Last modified: 10/13/2009 09:53:02